

AMENDMENTS TO THE CLAIMS

1. (currently twice amended) ~~A chemical compound, comprising g~~
Gabapentin tannate.
2. (currently twice amended) ~~The chemical compound Gabapentin tannate~~
of claim 1 wherein a tannate acid component of said ~~chemical compound~~
Gabapentin tannate is of either natural or synthetic origin.
3. (canceled)
4. (canceled)
5. (amended) A method of synthesizing gabapentin tannate, comprising
preparing gabapentin tannate wherein a tannic acid component thereof is of
either natural or synthetic origin.
6. (original) A process for preparing gabapentin tannate, comprising:
mixing gabapentin and tannic acid to obtain gabapentin tannate wherein
the tannic acid component is of either natural or synthetic origin.
7. (original) The process of claim 6, wherein said mixing step includes
adding said gabapentin to a solvent and then adding said tannic acid to said
gabapentin and said solvent.

8. (original) The process of claim 6, wherein said mixing step includes adding said tannic acid to a solvent and then adding said gabapentin to said tannic acid and said solvent.
9. (original) The process of claim 6, wherein said mixing step includes mixing gabapentin and tannic acid powders together and then adding a solvent.
10. (original) The process of claim 6, wherein said mixing step includes adding said gabapentin to a solvent to create a first reaction mixture, adding said tannic acid to a solvent to create a second reaction mixture and mixing together said first and second reaction mixtures.
11. (original) The process of claim 6, including mixing said gabapentin and said tannic acid together while maintaining a temperature of between about 15 to about 150 degrees C.
12. (original) The process of claim 6, including using a weight ratio of said tannic acid to said gabapentin of between about 0.1:1 to about 10:1.
13. (original) The process of claim 6, wherein said mixing is performed while maintaining a pH of between about 2 to about 11.
14. (original) The process of claim 6, further including providing sufficient tannic acid for mixing to have said tannic acid comprise between about 0.05 to about 40.0% by weight of a resulting reaction mixture.

15. (original) The process of claim 6, further including:
maintaining a pH of between about 2 and about 11; and
providing said tannic acid to said gabapentin at a weight ratio of
between about 0.1 to 1 to about 10 to 1 so that said tannic acid is present at
about 0.05 to about 40.0% by weight.
16. (original) The process of claim 6, further including isolating and
purifying gabapentin tannate.
17. (original) The process of claim 16, including performing said isolating
and purifying step by a procedure selected from a group consisting of filtering,
drying, centrifuging and lyophilizing.
18. (original) A process for preparing gabapentin tannate comprising:
mixing gabapentin and tannic acid together in the presence of a solvent
wherein the tannic acid is of either natural or synthetic origin.
19. (original) The process of claim 18, including selecting said solvent
from a group consisting of purified water, ethanol, glycerin, propylene glycol,
diethylether, methylene chloride, acetone, isopropyl alcohol and mixtures
thereof.
20. (original) The process of claim 19, further including isolating and
purifying gabapentin tannate.

5

Serial No.: 10/806,022

21. (original) The process of claim 20, including performing said isolating and purifying step by a procedure selected from a group consisting of filtering, drying, centrifuging and lyophilizing.